EXPORT EQUIPMENT CATALOGUE

ADAS SYSTEMS & DIAGNOSIS EFFECTIVE FROM MARCH 2025



automotive service equipment

Nexion SpA reserves the right to change the specifications of its products at any time without prior notice. The company declines all responsibility in the event of claims deriving from the use of non-original accessories or spare parts with consequent forfeiture of the EC declaration of conformity.

MONOOLFO FERRO



SUMMARY


| FRONT SENSORS CALIBRATION EQUIPMENT | 4 |
|--|----|
| PROADAS RS DIGITAL | 4 |
| PROADAS TS DIGITAL | 5 |
| PROADAS TS-3D DIGITAL | 6 |
| PROADAS START DIGITAL | 7 |
| PROADAS RS V1 | 8 |
| PROADAS TS V1 | 9 |
| PROADAS TS-3D V1 | 10 |
| PROADAS START V1 | 11 |
| PROADAS OPTIONAL ACCESSORIES | 12 |
| SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT | 19 |
| RADAR CALIBRATION EQUIPMENT | 22 |
| SCE 310 | 22 |
| OPTIONAL ACCESSORIES FOR SCE 300/310 | 23 |
| NIGHT SENSOR CALIBRATION EQUIPMENT | 27 |
| ACCESSORIES | 28 |
| IONE REMOTE | 31 |
| SELF-DIAGNOSIS | 33 |
| IONE CRUISER | 33 |
| OPTIONAL ACCESSORIES IONE CRUISER | 34 |
| ACCESSORIES FOR ADAS & DIAGNOSIS | 36 |



NEW

PROADAS RS DIGITAL

STANDARD ACCESORIES





| Code | Power Supply | Description | |
|---------------|---------------------|---|--|
| 0-62103301/00 | 110-230/1ph/50-60Hz | PROADAS RS DIGITAL The RS Digital kit is designed for customers not having a wheel aligner and is composed by: PROADAS SCE 910, Radar panel, Optical sensors adjustment kit, Kit HL v.2, n. 2 BT laser pointers, Laser pointer support for bracket, Steering lock, License for wheel alignment pre-check, Short bar kit with pins, 75" Monitor, Monitor cover, Mini-PC for digital targets reproduction for the front camera. Four (4) brackets are needed (not included as standard). | |
| 8-62100123 | <u>~</u> | Functionality license PROADAS DIGITAL, 12 months subscription (compulsory) | |
| 8-62300011 | PROADAS | Customization kit PROADAS RS DIGITAL (compulsory) | |



PROADAS TS DIGITAL

STANDARD ACCESORIES





| Code | Power Supply | Description | |
|---------------|---------------------|--|--|
| 0-62103401/00 | 110-230/1ph/50-60Hz | PROADAS TS DIGITAL The TS Digital kit is designed for customers having a NEXION CCD wheel aligner and is composed by: PROADAS SCE 910, Radar panel, HL. V.2 Kit, n. 2 BT laser pointers, Short radar bar kit with pins, Laser pointer support for bracket, 75" Monitor, Monitor cover, Mini-PC for digital targets reproduction for the front camera, data exchange kit wheel aligners - PROADAS. | |
| 8-62100123 | | Functionality license PROADAS DIGITAL, 12 months subscription (compulsory) | |
| 8-62300012 | PROADAS | Customization kit PROADAS TS DIGITAL (compulsory) | |



PROADAS TS-3D DIGITAL

STANDARD ACCESORIES





| Code | Power Supply | Description | |
|---------------|---------------------|---|--|
| 0-62103501/00 | 110-230/1ph/50-60Hz | PROADAS TS-3D DIGITAL The TS-3D Digital kit is designed for customers having a NEXION new generation camera wheel aligner and is composed by: PROADAS SCE 910, Radar panel, n. 2 BT laser pointers, Laser pointer support for bracket, Long radar bar kit, 3D Target kit, 75" Monitor, Mini-PC for digital targets reproduction for the front camera, data exchange kit wheel aligner - PROADAS. | |
| 8-62100123 | | Functionality license PROADAS DIGITAL, 12 months subscription (compulsory) | |
| 8-62300013 | PROADAS | Customization kit PROADAS TS-3D DIGITAL (compulsory) | |

6



PROADAS START DIGITAL

DOTAZIONE






| Code | Power Supply | Description | |
|---------------|---------------------|--|--|
| 0-62103601/00 | 110-230/1ph/50-60Hz | PROADAS START DIGITAL The START kit is composed by: PROADAS SCE 910, Radar panel,n, 2 laser pointers, START alignment kit, Long radar bar kit, 75" Monitor, Mini-PC for digital targets reproduction for the front camera. Two (2) brackets are needed (not included as standard). | |
| 8-62100123 | | Functionality license PROADAS DIGITAL, 12 months subscription (compulsory) | |
| 8-62300014 | PROADAS | Customization kit PROADAS START DIGITAL (compulsory) | |



NEW

PROADAS RS V1

STANDARD ACCESORIES





| Code | Electrical Supply | Description | |
|---------------|----------------------|---|--|
| 0-62103701/00 | 110-230V/1PH/60-60HZ | PROADAS RS V1 The RS V1 kit is designed for customers not having a wheel aligner and is composed by: PROADAS SCE 910, Radar panel, Optical sensors adjustment kit, Laser pointer support for bracket, Steering lock, License for wheel alignment pre-check; Short bar kit. Four (4) brackets are needed, NOT INCLUDED AS STANDARD | |
| 8-62100012 | | Functionality license, 12 months subscription (compulsory) | |
| 8-62300015 | PROADAS | RS V1 customization kit (compulsory) | |

8



PROADAS TS V1

STANDARD ACCESORIES





| Code | Electrical Supply | Description | |
|---------------|----------------------|---|--|
| 0-62103801/00 | 110-230V/1PH/60-60HZ | PROADAS TS V1 The TS V1 kit is designed for customers having a NEXION CCD wheel aligner and is composed by: PROADAS SCE 910, Radar panel, HL. V.2 Kit, Short radar bar kit with pins, Laser pointer support for bracket, data exchange kit wheel aligner - PROADAS. | |
| 8-62100012 | | Functionality license 12 months subscription (compulsory) | |
| 8-62300016 | PROADAS | TS V1 customization kit (compulsory) | |


9



PROADAS TS-3D V1

STANDARD ACCESORIES





| Code | Electrical Supply | Description | |
|---------------|----------------------|--|--|
| 0-62103901/00 | 110-230V/1PH/60-60HZ | PROADAS TS-3D V1 The TS-3D V1 kit is designed for customers having a NEXION new generation camera wheel aligner and is composed by: PROADAS SCE 910, Radar panel, n. 2 BT laser pointers, Laser pointer support for bracket, Long radar bar kit, 3D target kit, data exchange kit wheel aligner - PROADAS. | |
| 8-62100012 | | Functionality license, 12 months subscription (compulsory) | |
| 8-62300017 | PROADAS | TS-3D V1 customization kit (compulsory) | |

10



PROADAS START V1

STANDARD ACCESORIES





| Code | Electrical Supply | Description | |
|---------------|----------------------|---|--|
| 0-62104001/00 | 110-230V/1PH/60-60HZ | PROADAS START V1 The START V1 kit is composed by: PROADAS SCE 910, Radar panel, START alignment kit, Long radar bar kit.Two (2) brackets are needed, NOT INCLUDED AS STANDARD | |
| 8-62100012 | | Functionality license, 12 months subscription (compulsory) | |
| 8-62300018 | PROADAS | START V1 customization kit (compulsory) | |

11



| PROADAS OPTIONAL ACCESSORIES | | | | | | | |
|---|--|---------------|--|----|----|-------|-------|
| Image | Description | Code | | RS | TS | TS-3D | START |
| COMPLEMENTS | | | | | | | |
| (199876543210 (199876543210 (199876543210 | START alignment kit : PROADAS alignment kit by laser pointers for PROADAS TS-3D, composed by: Pair (2) of targets to be mounted on the clamps of the vehicle rear axis, calibration kit, Pair (2) of supports for orthogonality measurements of laser pointer 1 and 2 | 8-62100054/91 | | - | ı | * | |
| | PROADAS START – camera wheel aligner alignment kit: Kit to align PROADAS START to camera wheel aligner - Long bar, composed by : Pair (2) of supports for long bar target, Pair (2) of adjustment targets, Wi-Fi Router, USB storage key | 8-62600006 | | - | - | | * |
| | PROADAS RS/TS – camera wheel aligner alignment kit: Kit to align PROADAS RS/TS to camera wheel aligner - Short bar, composed by: Pair (2) of adjustment targets, Wi-Fi Router, USB storage key | 8-34100025 | | * | * | - | - |
| | Software enabling kit for wheel aligner TRIGON 648 PRO - PROADAS: USB software key TRIGON 648 PRO, software pack + sim card, hardlock, 50 cm USB cable, pedal brake depressor - compatible with tablet 10" Win 10, BT keyboard | 8-62300006 | | * | - | - | - |



NEW

| PROADAS OPTIONAL ACCESSORIES | | | | | | |
|------------------------------|---|------------|----|----|-------|-------|
| Image | Description | Code | RS | TS | TS-3D | START |
| COMPLEMENTS | | | | | | |
| | Pair of 10-21" brackets with pin and extention kit up to 26" | 8-62100061 | * | * | * | * |
| | Pair of 10-26" carbon brackets for cars | 8-62100021 | * | * | * | * |
| | Support kit for selfcentering brackets | 8-31600017 | * | * | * | * |
| | Pair of 13-28" support rapid brackets | 8-62100050 | * | * | * | * |
| IMAGE NOT AVAILABLE | Pair of laser pointers for pair of 13-28" support rapid brackets | 8-62100062 | * | * | * | * |



NEW

| PROADAS OPTIONAL ACCESSORIES | | | | | | |
|---|---|---------------|----|----|-------|-------|
| Image | Description | Code | RS | TS | TS-3D | START |
| | Support panel for 4 sensors, 4 backets and recharge module | 8-62100038/39 | * | * | - | - |
| | Pair of brackets for support panel | 8-62100063/92 | * | * | - | - |
| | Calibration unit for opctical sensors | 8-62100042 | * | * | - | - |
| FRONT CAMERA CALIBRATION PANELS (ONLY FOR PROADAS VERSIONS WITH PANELS) | | | | | | |
| | Toyota/Lexus version 1, Mazda, Suzuki panel, front camera | 8-62100037 | * | * | * | * |



| PROADAS OPTIONAL ACCESSORIES | | | | | | |
|-------------------------------------|---|------------|-------|-----|-----|-------|
| Image | Description | Code | NA NA | ! \ | 5 F | START |
| | Toyota/Lexus version 2, Mazda, Suzuki panel, front camera | 8-62100045 | 4 | | 7 | * * |
| ◇ →◇ + ◇ | Mercedes panel, front camera | 8-62100024 | • | | k 3 | * * |
| | Alfa Romeo panel, front camera | 8-62100023 | 1 | 7 | , | * * |
| | Nissan panel version 1, front camera | 8-62100025 | 1 | | 1 | * * |
| | Nissan MERCEDES panel version 2, front camera | 8-62100030 | 1 | | 7 | * * |
| | VAG panel, front camera | 8-62100026 | * | * * | 7 | * * |



| PROADAS OPTIONAL ACCESSORIES | | | | | | | |
|--|---|------------|--|----|----|-------|-------|
| Image | Description | Code | | RS | TS | TS-3D | START |
| FRONT CAMERA CALIBRATION PANELS (ONLY FOR PR | FRONT CAMERA CALIBRATION PANELS (ONLY FOR PROADAS VERSIONS WITH PANELS) | | | | | | |
| | KIA-HYUNDAI, FIAT, PSA and JEEP panel, front camera | 8-62100027 | | * | * | * | * |
| | HYUNDAY H350 panel, front camera iONE REMOTE is necessary for calibration | 8-62100148 | | * | * | * | * |
| · · · · · · · · · · · · · · · · · · · | RENAULT and SMART panel, front camera | 8-62100028 | | * | * | * | * |
| ◊⋄⋄ | Mazda panel version 1, front camera | 8-62100029 | | * | * | * | * |



NEW



| PROADAS OPTIONAL ACCESSORIES | | | | | | |
|------------------------------|--|------------|----|----|-------|-------|
| Image | Description | Code | RS | TS | TS-3D | START |
| | Mazda panel version 2, front camera | 8-62100040 | * | * | * | * |
| | SUZUKI panel, front camera | 8-62100041 | * | * | * | * |
| | SUZUKI, ISUZU, MAZDA front camera calibration panel | 8-62100065 | * | * | * | * |
| | MITSUBISHI panel front camera iONE REMOTE is necessary for calibration | 8-62100150 | * | * | * | * |
| | SUBARU-TOYOTA panel, front camera iONE REMOTE is necessary for calibration | 8-62100152 | * | * | * | * |



NEW

| PROADAS OPTIONAL ACCESSORIES | | | | | | | |
|-------------------------------|--|------------|--|----|----|-------|-------|
| Image | Description | Code | | RS | TS | TS-3D | START |
| FRONT CAMERA AND LIDAR CALIBR | ATION PANELS (FOR ALL PROADAS VERSIONS) | | | | | | |
| | LIDAR VAG panel | 8-62100043 | | * | * | * | * |
| | HONDA VERS. 1 panel, front camera To be used with P/N 8-621000141 in PROADAS DIGITAL versions iONE REMOTE is necessary for calibration | 8-62100151 | | * | * | * | * |
| | HONDA FRONT CAMERA PANEL VERS. 2 * Calibration panel for the front camera in HONDA vehicles *to be used with P/N 8-621000141 in PROADAS DIGITAL Versions | 8-62100106 | | * | * | * | * |
| EW! | IVECO front camera calibration panel Target panel extension kit for PROADAS DIGITAL P/N 8-62100141 is required. *iONE REMOTE is required | 8-62100184 | | * | * | * | * |
|]] | TARGET PANEL EXTENSION KIT Kit for using physical panels with PROADAS DIGITAL | 8-62100141 | | * | * | * | * |
| | KIA front camera calibration target | 8-62100161 | | * | * | * | * |



SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

| Image | Description | Code |
|--|---|---------------|
| | SCE 700: equipment designed for the calibration of the AVM camera system, rear camera and BlindSpot for VAG group vehicles, composted by: Panel to calibrate the rear VAG camera Pair (2) of vertical targets + supports for AVM camera 1 red laser blade + support | 0-62103101/00 |
| | VAG side mats for VAG AVM camera calibration | 8-62100052 |
| 20 20 20 20 20 20 20 20 20 20 20 20 20 2 | Rear camera kit - RENAULT | 8-62100067 |
| | 360° CAMERA KIT RENAULT Kit for 360° camera calibration on Renault-Dacia vehicles | 8-62100068 |

19



| SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT | | | | |
|---|---|------------|--|--|
| Image | Description | Code | | |
| :::: | 360° camera kit MAZDA | 8-62100130 | | |
| | 360° camera kit TOYOTA/LEXUS type 1 Kit for 360° camera calibration in TOYOTA/LEXUS type 1 vehicles | 8-62100142 | | |
| FRONT ENTER TYPES | KIA / HYUNDAI 360 ° CAMERA MATS KIT Kit for 360 ° camera calibration in Kia-Hyundai vehicles | 8-62100109 | | |
| | MB REAR CAMERA KIT TYPE 2 Kit for calibrating the rear camera in MB vehicles | 8-62100122 | | |
| | TOYOTA/LEXUS REAR CAMERA CALIBRATION TARGET Rear camera calibration target in Toyota/Lexus vehicles | 8-62100146 | | |



NEW



SIDE-REAR-360° SENSORS CALIBRATION EQUIPMENT

| Image | Description | Code |
|-------|--|------------|
| | NISSAN type 1 rear camera calibration mat kit iONE REMOTE is necessary for calibration | 8-62100153 |
| | NISSAN type 2 rear camera calibration mat kit iONE REMOTE is necessary for calibration | 8-62100154 |
| | NISSAN type 3 rear camera calibration mat kit iONE REMOTE is necessary for calibration | 8-62100155 |
| | OPEL 360 camera calibration mat kit | 8-62100166 |
| | MITSUBISHI 360 camera calibration kit | 8-62100167 |

21




NEW



RADAR CALIBRATION EQUIPMENT

SCE 310





| | OPTIONAL ACCESSORIES FOR SCE 300/310 | |
|-------|--|------------|
| Image | Description | Code |
| | Reflector type 1 for Toyota, Honda, Subaru, Suzuki and Mazda brands. To be used with SCE 310. | 8-62100046 |
| | Reflector type 2 for Kia, Hyundai and Mazda brands. To be used with SCE 310. | 8-62100047 |
| | Reflector type 3 for MITSUBISHI. To be used with SCE 310. iONE REMOTE is necessary for calibration | 8-62100149 |





| OPTIONAL ACCESSORIES FOR SCE 300/310 | | | | | |
|--------------------------------------|--|---------------|--|--|--|
| lmage | Description | Code | | | |
| | ALIGNMENT KIT SCE 300 Kit to be integrated with the SCE 300 equipment to be able to quickly and accurately calibrate the ADAS radar sensors for the Toyota, Honda, Subaru, Kia-Hyundai and Mazda brands | 8-62100107/91 | | | |
| | SMART CITY BRAKE-MAZDA CONTROL PANEL Panel for controlling the correct operation of the laser sensor on some Mazda models. To be used with SCE 310. | 8-62100136 | | | |





RADAR CALIBRATION EQUIPMENT Code Description **Image VAG-MAZDA** Doppler device for Radar-BSD sensors 8-62100060/00 **Toyota/Lexus** parking sensor positioning kit 8-62100143 **VAG front radar calibration panel*** 8-62100162 *requires support kit code 8-62100178 **Support kit** 8-62100178 Renault type 2 radar adjustment template (Captur II) - 2223 8-62100156

25



NEW

RADAR CALIBRATION EQUIPMENT **Image** Description Code Renault type 1 radar adjustment template (Clio V) - 2213 8-62100157 Renault type 3 radar adjustment template (Megane IV and Zoe ph.2) - 2224 8-62100158 Renault type 4 radar adjustment template (Master III) - 2207 8-62100159 Renault type 5 radar adjustment template (Espace V) - 2229 8-62100160 Mercedes type 1 radar adjustment template (Romess) 8-62100163



| RADAR CALIBRATION EQUIPMENT | | | | |
|-----------------------------|--|------------|--|--|
| Image | Description | Code | | |
| | FCA radar adjustment template | 8-62100164 | | |
| | Mercedes type 2 radar adjustment template | 8-62100180 | | |
| | VOLVO FRONT CAMERA AND RADAR adjustment template | 8-62100181 | | |

| | NIGHT SENSOR CALIBRATION EQUIPMENT | | |
|------------|--|---------------|--|
| Image | Description | Code | |
| WAS SECOND | Night vison VAG* *requires support kit code 8-62100178 | 8-62100165 | |
| 0.0.0. | Night vision Mercedes-Benz | 8-62100179/00 | |



NEW

| ACCESSORIES FOR DIAGNOSIS | | | | | | | | / 301 | |
|---------------------------|---|------------|--|----|----|-------|-------|---------------|---------|
| Image | Description | Code | | RS | TS | TS-3D | START | SCE 300 / 301 | SCE 700 |
| | Kit to update the PROADAS Panel versions in the version with Monitor* composed by: 75" monitor, monitor support plate, minipc, HDMI cable, monitor cover, anti-tipping kit** *it is necessary to order the PROADAS DIGITAL Functionality license, 12 months subscription, cod. 8-62100123, included in the price of the kit *** it is necessary to order the WHEEL KIT Ø80mm cod. 8-62100044 for PROADAS produced in 2019. | 8-62100138 | | * | * | * | * | - | - |
| | Protection cover for PROADAS with Panels | 8-62100069 | | * | * | * | * | - | - |
| | Headlight cover kit including 2 headlight covers | 8-62100145 | | * | * | * | * | * | * |
| | Green Laser blade | 8-62100064 | | | | | | * | * |



| ACCESSORIES FOR DIAGNOSIS | | | | | | | / 301 | |
|--|---|------------|----|----|-------|-------|---------------|---------|
| Image | Description | Code | RS | TS | TS-3D | START | SCE 300 / 301 | SCE 700 |
| | Battery charger kit , includes: charger with power supply, n. 4 rechargeable batteries type AA, n. 4 rechargeable batteries type AAA | 8-62100117 | * | * | * | * | * | * |
| THE STATE OF THE S | F35 Flash battery charger | 8-62100177 | * | * | * | * | * | * |
| O. O | Steering wheel level | 8-33100050 | * | * | * | * | - | - |
| | Brake pedal depressor | 8-3310081 | * | * | * | * | - | - |
| | Steering lock | 8-33100082 | | * | * | * | - | - |
| VEW! | Webcam kit for PROADAS DIGITAL | 8-62100182 | * | * | * | * | - | - |



-: NOT Compatible

| ACCESSORIES FOR DIAGNOSIS | | | | | | | / 301 | |
|--|--|------------|----|----------|-------|-------|----------|---------|
| Image | Description | Code | N. | TS | TS-3D | START | SCE 300, | SCE 700 |
| OF TWARE | PROADAS software kit 2.0 : enabling kit to use PRODAS for diagnose of third parties. Windows operating system. | 8-62100135 | 4 | * | * | * | * | * |
| A CONTROL OF THE PARTY OF THE P | Renewal for PROADAS functionality license, 12 months subscription starting from previous expidy date. Online procedure. It includes one-year updating service starting from the previous expiry date. Windows operating system. | 8-62100013 | , | * | * | * | * | * |
| | Renewal for PROADAS DIGITAL functionality license, 12 months Subscription starting from previous expiry date. | 8-62100124 | , | * | * | * | * | * |



IONE REMOTE

IONE REMOTE

| Code | Image | Description | |
|------------|--------------|--|--|
| 0-67501700 | RIECHOMOTOR. | iONE REMOTE Remote support device | |
| 8-62500003 | | Credits for remote diagnosis service – credits (10)* Remote support service for ADAS calibrations. *It is necessary to purchase the iONE REMOTE device | |
| 8-62500004 | | Credits for remote diagnosis service – credits (30)* Remote support service for ADAS calibrations. *It is necessary to purchase the iONE REMOTE device | |

31



SENSOR ADAS CALIBRATION EQUIPMENT

| Modello Model | Modalità lavoro Way of worl | Technolog | | | | FUNZI | ONI - FUI | NCTIONS | | |
|--|--|-------------------------------------|--------------------------------------|-------------------------------------|-------------------------------|-------|----------------------|----------------------------------|------------------------------|---|
| Proadas RS | | | | | 14 X | C | | | | |
| Proadas STAI | RT | * | 4 | | (| C | | | | • |
| Proadas TS | 0 | F | | | (| C | | | | |
| Proadas TS-3 | BD (| 3 | 1 | | (| C | | | | |
| SCE 310 | • | * | 1 | | | | | | | |
| SCE 700 | 11 | * | 1 | | | | 1 | | | |
| | | • | 9 9 | | | | | | * | |
| Proadas RS | Proadas START | SCE 310 | SCE 700 | Con assetto 3D 3D wheel aligners | Con assetto CC | | camera 3D camera | Testine CCD CCD sensors heads | Puntatore La Laser pointe | rollo pos. tempo reale time positining control |
| or the state of th | WA XX | | | Talesman 2000 | | | and an OCD | LUDD () I | | |
| Precheck assetto Precheck wheel alignment | Manutenzione assetto Wheel alignment service | Telecamera frontale Front camera | Telecamera posteriore Rear camera | Telecamera 360° 360° camera | Radar frontale Front radar | | ndar BSD SD radar | LIDAR frontale Front LIDAR | | |







IONE CRUISER



Compatible with



NEW

Diagnosis License not Included





IONE CRUISER

| Code | | Description | |
|------------|-----------------|---|--|
| 0-67501200 | | iONE CRUISER New generation diagnostic device, designed to work with all types of vehicles and communication protocols with the different ECU. | |
| 8-67500010 | IONE CRUISER | Activation License iONE - Export (Compulsory) Included 12 months update service. Licenses can be activated through SOCIO Collection portal. | |



| OPTIONAL ACCESSORIES IONE CRUISER | | | | | |
|-----------------------------------|--|------------|--|--|--|
| Image | Description | Code | | | |
| Licenses and Subscriptions | | | | | |
| SECURITY GATEWAY MANAGEMENT | Activation license Security Gateway Management. Includes: 12 months subscription | 8-67500017 | | | |
| SECURITY GATEWAY MANAGEMENT | Subscription renewal Security Gateway Management - 12 months | 8-67500018 | | | |
| CRUISER | 12 Months subscription renewal iONE - EXPORT Update subscription service for valid or expired subscriptions less than 7 months. Included: extension update service of 12 months from the previous expiry date. Renewable through SOCIO Collection portal | 8-67500011 | | | |





ODTIONAL ACCESSORIES IONE CRITISER

| | OPTIONAL ACCESSORIES IONE CRUISER | | |
|---|--|------------|--|
| Image | Description | Code | |
| | COMPLEMENTARY | | |
| | Tablet ANDROID 10" (NOT for ADAS) | 8-67501100 | |
| TECHIDATA SERVIZIO COMPLETAMENTE INTEGRATO NELL'INTERFACCIA DI DIAGNOSI: non è necessario utilizzare un browser internet | Activation License iONE TECHDATA - EXPORT Optional license for ONLINE technical data consultation. Available languages: IT, UK, DE, FR, PT, ES, GR. This license is only issued and enabled in combination with an iONE Windows license in course of validity. | 8-67500014 | |























-: NOT Compatible

TECHNICAL CONTENT PROVIDED INCOLLABORATION WITH HAYNESPRO



| ACCESSORIES FOR ADAS & DIAGNOSIS | | | | | |
|----------------------------------|---|------------|--|--|--|
| Image | Description | Code | | | |
| | TABLET 10" RUGGED WIN10 – RIS. 1920X1080 | 8-62100108 | | | |
| | Win10 Laptop | 8-33100164 | | | |







AUTOMOTIVE SERVICE EQUIPMENT





